



## TELLUS DEEPER TOPSOILS GEOCHEMISTRY SURVEY

# DATA RELEASE SURVEY AREA G8

### October 2024

#### 1. SURVEY AREAS

Geological Survey, Ireland has embarked on a flagship project to sample and measure the geochemical characteristics of the deeper subsurface across Ireland. The Tellus geochemistry programme is underway since 2011. Its aim is to produce spatial data to determine a surficial geochemical baseline of shallow and deeper topsoil, stream sediment and stream water sample media across Ireland. Work began in the border region (to complement the Tellus project of Northern Ireland, completed in 2008) and surveying has systematically extended in a southerly direction since.

This data release relates to geochemical sampling survey area G8 which was undertaken in 2021. Survey area G8 covers the Dublin urban area and brings a total country coverage for deeper topsoil to approximately 52% (see Map 1 and Map 2 below).


Within the data release for the G8 survey area there are a total of 877 sample sites at a typical density of one sample per 500 m by 500 m grid square (0.25 km<sup>2</sup>).

Deeper topsoil samples were routinely chemically analysed by several methods:


- Soil loss-on-ignition at 450°C.
- Soil pH by CaCl<sub>2</sub> slurry.
- Multi-element analyses for a range of major, minor and trace elements by aqua regia digestion with an ICP finish "ICP<sub>ar</sub>".







Map 1. Locality of the Tellus survey areas G1, G3, G5, G6 (blue) and G8 (red).



Map 2. Deeper topsoil sample locations in survey areas G1, G3, G5, G6 (blue) and G8 (red).





#### 2. URLs FOR DATA DOWNLOAD

Data and supporting documentation may be downloaded from the GSI website at the following URLs:

#### Data package:

https://gsi.geodata.gov.ie/downloads/Geochemistry/Data/IE GSI Geochemistry Deepe r Topsoil S ICPar G8 Dublin ITM.zip

#### QC Data Report:

https://gsi.geodata.gov.ie/downloads/Geochemistry/Reports/IE GSI Geochemistry Deeper Topsoil S ICPar G8 Dublin ITM Report.pdf

#### QC and EDA plot package:

https://gsi.geodata.gov.ie/downloads/Geochemistry/Data/IE GSI Geochemistry Deepe r Topsoil S ICPar G8 Dublin QC and EDA plots.zip

For support and further information at GSI: Tellus, tellus@gsi.ie.

#### 3. RELEASE INFORMATION FOR ANALYTICAL DATA

Geochemical data for analytes by pH (CaCl2), LOI (at 450°C) and ICP<sub>ar</sub> analyses on <2 mm fraction deeper topsoil (0.35 to 0.50 m depth). Unique sample ID is a combination of site number and sample media code. Location co-ordinates data easting and northing are in Irish Transverse Mercator. In case of non-detects, i.e. data reported by the laboratory as "< LLD", data are censored to half the method LLD. For elements where a very large proportion of observations fall below the accredited LLD, non-accredited, uncensored below-LLD data are also provided (Ta, Pd and Pt). Conditioned pH data are calculated using the linear regression relationship between the G8S data and the mean values for the pH SRMs for blocks up to G6 (Intercept: -0.641; Slope: 1.19). Users are cautioned that no conditioning or correction factors have been applied to the data, other than for pH. Therefore, boundary affects for some elements may be apparent if mapping alongside other Tellus datasets.

IE\_GSI\_Geochemistry\_Deeper\_Topsoil\_S\_ICPar\_G8\_Dublin\_ITM\_670xxxS-671xxxS\_Download\_v1.0:

[IE\_GSI\_Geochemistry\_Deeper\_Topsoil\_S\_ICPar\_G8\_Dublin\_ITM\_670xxxS-671xxxS\_Download\_v1.0.xlsx]

Supporting information:

• Gallagher, V. Tellus geochemical survey: QA-QC for shallow topsoil data from the Dublin urban area (G8 Block). Aurum Exploration Ltd., 2024